

sachtler

aktiv14T

Sachtler aktiv14 fluid head Touch & Go with SpeedLevel and SpeedSwap technology

SKU: S2076T

This Sachtler aktiv™ 100 mm fluid head for payloads of up to 16 kg (35.3 lbs.), with unique SpeedLevel™ technology, can be levelled in seconds giving you time to get the perfect shot in documentary, corporate or news applications. The SpeedSwap™ system delivers the fastest way to switch between tripod and slider in seconds giving you ultimate flexibility.





Product Highlights

- **Level and lock your head in an instant without missing a second of action**
Unique SpeedLevel technology.
- **Visible from any height or angle - day or night.**
Innovative PrismBubble.
- **Capture extreme low angle shots right down to the ground.**
Innovative streamlined mounting system.
- **Switch between tripod and slider in seconds.**
Revolutionary SpeedSwap system.
- **Create moving stories, whatever the weather.**
Performance tested to the extreme.



Technical Specifications

Feature	Value
Range	aktiv
Payload	0 to 16 kg
Counterbalance	15 + 0 steps
Drag	7 + 0 drag settings
Weight	3.40 kg
Pan bar length	350 to 520 mm
Pan bar type	Pan bar DV right (telescopic)
Pan bar attachment	18/22/32 mm
Pan bar count	1, telescopic
Level bubble	Yes, illuminated
Battery type	CR2032
Adaptor viewfinder extension	No Adaptor
Bowl size	100 mm
Camera plate	Touch & Go plate 16
Temperature range	-40 to 60 °C
Tilt range	+90° to -70°
Sliding range	70 mm
Interface Compatibility	Touch & Go



What's in the box?

aktiv14T is compatible with all Sachtler 100 mm tripods (except HotPod)

What's in the box?

- aktiv™14T fluid head with one telescopic pan bar DV and Touch & Go plate 16
- Pan bar DV right (telescopic)
- Touch & Go Plate 16
- aktiv bowl connector 100 mm V2



